

CONTENTS

- Chapter 1** Early phonological development in babies and toddlers with cleft palate and non-cleft VPI, 1
- Chapter 2** Other effects of clefts in children and families, 9
- Chapter 3** Effects of cleft and non-cleft VPI on speech in older children, 17
- Chapter 4** Understanding instrumental evaluation of velopharyngeal function, 41
- Chapter 5** Understanding physical management of clefts and non-cleft VPI, 53
- Chapter 6** Perceptual assessment and diagnosis of cleft palate speech errors, 69
- Chapter 7** Sequenced speech-language intervention in the infant, toddler, and preschool years, 105
- Chapter 8** Articulation therapy for school-age children, 124
- Chapter 9** Special therapy techniques, 163
- Postscript** Communication between you and the team or other professionals providing care, 178

Video and Audio Clips

- VC 1-1** Severely limited phonologic development.
- VC 1-2** Limited phonologic development.
- AC 3-1** Samples of three speakers with different sources of nasal air emission.

- VC 3-1** Preschooler with hyponasality and adenoid hypertrophy who has glottal stops.
- VC 3-2** Mild to moderate hypernasality with inconsistent nasal emission of air.
- VC 3-3** Pervasive HN and NE (including passive nasal fricatives) with good articulation.
- VC 3-4** Robin sequence: repaired cleft palate and glottal stops.
- VC 3-5** Reliance on glottal stops.
- VC 3-6** School-age child producing pharyngeal fricatives.
- VC 3-7** Phoneme-specific nasal emission (nasal fricatives for /s/).
- VC 3-8** Ingressive airflow as a compensatory maneuver.
- VC 3-9** Compensatory misarticulation examples: excerpts from Trost-Cardamone (1987).
- VC 3-10** Using whispered speech for eliminating glottal stops.
- VC 4-1** Treating cleft palate speech: putting it all together.
- VC 4-2** Videoendoscopy: marginal velopharyngeal inadequacy.
- VC 4-3** Videoendoscopy: marginal velopharyngeal inadequacy.
- VC 4-4** Videofluoroscopy: lateral view.
- VC 4-5** Videofluoroscopy: anterior-posterior view.
- VC 4-6** Videofluoroscopy: Towne's view.
- VC 4-7** Imprecise articulation and reduced oral pressures: pre- and post-therapy videoendoscopy and perceptual speech characteristics.
- VC 4-8** Videoendoscopy: postpharyngeal flap velopharyngeal inadequacy with persistent glottal stops.
- AC 6-1** Glottal stops, consonant omissions, and HN in a non-cleft 4-year-old; suspect DAS.
- VC 6-1** Clinical speech evaluation: case data excerpts to accompany Appendix 6-3.
- VC 6-2** Fistula-based nasal emission.
- VC 6-3** Phoneme-specific nasal emission (PSNE) in a non-cleft child.
- VC 7-1** Expanding the phonetic inventory: preschool child with glottal stops.

- VC 7-2** Inconsistent PSNE for [s] and [ʃ].
- VC 7-3** Oral versus nasal airflow learning.
- VC 8-1** Monitoring nasal versus oral air emission.
- VC 8-2** Place map activities.
- VC 8-3** Phonetic placement: /k/ production.
- VC 8-4** Phonetic placement: /t/ production.
- VC 8-5** Exploring stimulability.
- VC 8-6** Teaching oral stops: oral pressure buildup.
- VC 8-7** Normal stop versus pharyngeal stop: production contrasts.
- VC 8-8** Therapy for pharyngeal fricative: eliminating pharyngeal fricative substitutions.
- VC 8-9** Teaching and monitoring for oral versus nasal airflow.
- VC 8-10** Treating phoneme-specific nasal emission.
- VC 8-11** Phoneme-specific nasal emission: pre- and post-treatment excerpts.
- VC 8-12** Treating phoneme-specific nasal emission: articulation and phonological approach.
- VC 9-1** Endoscopic biofeedback therapy for pharyngeal fricative.
- VC 9-2** Endoscopic feedback: closure on [t] not on [s].

Clinical Resource Materials

Fig. 3-1: VP inadequacy chart (color)

Sentences A and B (for some video clip and audio clip samples)

Appendix 6-1: Assessment of consonants in CV syllables (Parts I and II)

Appendix 6-4: Orofacial examination

Place-Manner-Voicing Matrix (referenced in Chapter 6)

Appendix 8-1: Speech assignments/homework activities

Appendix 8-2: Blank lateral diagram